3 ITEM# QTY PART# PART TITLE RBE350A93-3232-00-1 SEAL HOLDER ASSY RBE350A93-3232-00-4 **SEAL RING** -4 D

RBE350A93-3232-00 SEAL & SEAL HOLDER REPLACEMENT

7

NOTES:

1) MATERIAL: N/A 2) HEAT TREAT: N/A

3) FINISH:

4) TOLERANCES: X.X = +/- 0.1" / +/- 1° X.XX = +/- 0.01" / +/- 0.5° X.XXX = +/-0.005" / +/-0.1°

X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"

5) UNITS: INCHES UNLESS OTHERWISE NOTED

6) IDENTIFICATION: N/A
7) THE TOOL ASSY MUST BE PACKAGED WITH A DESICCANT BAG INTO A TIGHT FITTING SEALED PLASTIC BAG

Α	SEE PREVIOUS PDF FOR OLDER REV TEMPLATE UPDATED PER DART HAWKESBURY STANDARDS ITEM -7 CHANGED FOR ITEM -4 ITEM -9 McMaster#98381A468 DELETED ITEM -3 CHANGED FOR ITEM -2 ITEM -5 CHANGED FOR ITEM -3 ITEM -1 FINISH BLACK OXIDE CHANGED FOR ZINC PLATE YELLOW, MANUFACTURING PROCESS CHANGED ITEM -2 DIMENSION 3X .5004/.5000 CHANGED FOR 0.5000 +0 / -0.0008, DIMENSION 3X .1282/.1265 REMOVED, DIMENSION 3X .313 REMOVED, DIMENSION RO.008" MAX ADDED, DIMENSION 1.260 CHANGED FOR 1.260 +0/-0.005", ENGRAVING S/N AND "MADE IN USA" REMOVED AND P/N RBE350A93-3232-10 REPLACED BY RBE350A93- 3232-00 ITEM -3 SLOT .1282/.1265 REMOVED, DIMENSION .250 REMOVED, DIMENSION RO.008 MAX ADDED, DIMENSION .5008/.5005 CHANGED FOR 0.5000 +0.0008/-0, CENTER DRILL NOTE ADDED, MATERIAL SP CHANGED FOR 1144 STRESSPROOF ITEM -4 MATERIAL SP CAD PLATE CHANGED FOR 1144 STRESSPROOF ZINC PLATE YELLOW, ENGRAVING RBE350A93-3232- 20 CHANGED FOR RBE350A93-3232-00, DIMENSION RO.008" ADDED	19-717	VM
REV.	DESCRIPTION	ECN#	BY

DESIGN VM DRAWN VM CHECKED KPT MFG. APPR. APPROVED

DATE 5/1/2019

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA

TOOL PART # RBE350A93-3232-00

SCALE SEAL & SEAL HOLDER REPLACEMENT NTS

COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

5

3

2

REV. A

SHEET 1 OF 5







